

Deliver Full HD presentations with a projector that offers easy to use wireless features and HDBaseT technology for more flexible installation.

Bring sharp images and bright colours to any meeting room with our superbright Full HD projector, designed to project a scalable image up to a massive 300 inches. It offers a wide range of connectivity options including HDBaseT, screen mirroring and wireless LAN. Plus you can change slides with the swipe of a hand with Gesture Presenter.

Outstanding quality display of up to 300 inches

Full HD resolution combined with Epson's 3LCD technology ensures high-quality content has more vivid colours and brighter images. Versatile connectivity guarantees sharper and clearer presentations delivered on a scalable image size of up to 300 inches.

HDBaseT connectivity

The EB-2265U offers a wide range of connectivity options, including HDBaseT, screen mirroring, wireless LAN and two HDMI inputs. HDBaseT provides Full HD video, audio and Ethernet connectivity via one cable to enable efficient control from 100m away.

Home screen

The home screen offers quick and easy access to a variety of useful functions, such as connection sources. Wireless connections can also be made easily using the information on the screen.

Gesture Presenter

Change slides by simply moving your hand, making even smarter presentations a reality by liberating the user from their remote control or mouse.

Auto Power On

The projector will start-up automatically upon connecting an HDMI, VGA, or USB cable, meaning you no longer have to use the power button on the remote control

KEY FEATURES

- Up to 300-inch display & great quality Full HD resolution with Epson's 3LCD technology
- Bring presentations to life Outstanding 5,500-lumen brightness
- Extensive connectivity options HDBaseT, screen mirroring and wireless LAN, as well as dual HDMI
- Flexible interaction Split-screen and multi-PC projection
- Gesture Presenter Intuitively use gestures to control the projector





PRODUCT SPECIFICATIONS

TECHNOLOGY	
Projection System	3LCD Technology, RGB liquid crystal shutter
LCD Panel	0,76 inch with D10
Colour Light Output	5.500 lumen- 3.800 lumen (economy) in accordance with IDMS15.4
White Light Output	5.500 lumen - 3.800 lumen (economy) in accordance with ISO 21118:2012
Resolution	WUXGA, 1920 x 1200, 16:10
High Definition	Full HD
Aspect Ratio	16:10
Contrast Ratio	15.000 : 1
Light source	Lamp
Lamp	300 W, 5.000 h durability, 10.000 h durability (economy mode)
Keystone Correction	Auto vertical: \pm 30 °, Auto horizontal \pm 20 °
Colour Processing	10 Bits
2D Vertical Refresh Rate	200 Hz - 240 Hz
Colour Reproduction	upto 1.07 billion colours
OPTICAL	
Projection Ratio	1,38 - 2,28:1
Zoom	Manual, Factor: 1 - 1,6
Lens	Optical
Image Size	50 inches - 300 inches
Projection Distance Wide	1,5 m (50 inch screen)
Projection Distance Tele	9 m (300 inch screen)
Projection Lens F Number	1,5 - 2
Focal Distance	23 mm - 38,4 mm
Focus	Manual
Offset	10:1
CONNECTIVITY	
USB Display Function	3 in 1: Image / Mouse / Sound
Interfaces	USB 2.0 Type A, USB 2.0 Type B, RS-232C, Ethernet interface (100 Base-TX / 10 Base-T), VGA
interfaces	in (2x), VGA out, HDMI in (2x), Composite in, RGB in (2x), RGB out, HDBaseT, Miracast, MHL,
	Stereo mini jack audio out, Stereo mini jack audio in (2x), Wireless LAN b/g/n (2.4GHz),
	Wireless LAN IEEE 802.11a/b/g/n/ac
Epson iProjection App	Ad-Hoc / Infrastructure
ADVANCED FEATURES	
Security	Kensington lock, Control panel lock, Password lock, Padlock, Security cable hole, Wireless
	LAN unit lock, Wireless LAN security, Password protection
2D Colour Modes	Dynamic, Cinema, Presentation, sRGB, Blackboard, DICOM SIM
Features	AV mute slide, Auto Power On, Automatic input selection, Automatic keystone correction,
reatures	
reatures	Built-in speaker, CEC compatible, Direct Power on/off, Document Camera Compatible, Screen
reatures	Built-in speaker, CEC compatible, Direct Power on/off, Document Camera Compatible, Screer Fit, Freeze image, Gesture Presenter, Home Screen, JPEG Viewer, Long lamp life, MHL
reatures	Built-in speaker, CEC compatible, Direct Power on/off, Document Camera Compatible, Screer Fit, Freeze image, Gesture Presenter, Home Screen, JPEG Viewer, Long lamp life, MHL audio/video interface, Network administration, OSD copy function, PC Free, iProjection App
reatures	Built-in speaker, CEC compatible, Direct Power on/off, Document Camera Compatible, Scree Fit, Freeze image, Gesture Presenter, Home Screen, JPEG Viewer, Long lamp life, MHL audio/video interface, Network administration, OSD copy function, PC Free, iProjection App for Chromebook, Quick Corner, Screen Mirroring, Slide show, Split-Screen-Function, Wireless
	Built-in speaker, CEC compatible, Direct Power on/off, Document Camera Compatible, Screer Fit, Freeze image, Gesture Presenter, Home Screen, JPEG Viewer, Long lamp life, MHL audio/video interface, Network administration, OSD copy function, PC Free, iProjection App for Chromebook, Quick Corner, Screen Mirroring, Slide show, Split-Screen-Function, Wireless LAN capable, iProjection App
Video Colour Modes Projector control	Built-in speaker, CEC compatible, Direct Power on/off, Document Camera Compatible, Screen Fit, Freeze image, Gesture Presenter, Home Screen, JPEG Viewer, Long lamp life, MHL audio/video interface, Network administration, OSD copy function, PC Free, iProjection App for Chromebook, Quick Corner, Screen Mirroring, Slide show, Split-Screen-Function, Wireless

EB-2265U

WHAT'S IN THE BOX

- Power cable
- Remote control incl. batteries
- Software (CD)
- VGA cable
- User Manual (CD-ROM)
- Warranty card
- Wireless LAN unit





PRODUCT SPECIFICATIONS

GENERAL	
Energy Use	425 W, 323 W (economy), 0,5 W (standby)
Supply Voltage	AC 220 V - 240 V, 50 Hz - 60 Hz
Product dimensions	377 x 291 x 110 mm (Width x Depth x Height)
Product weight	4,7 kg
Noise Level	Normal: 39 dB (A) - Economy: 29 dB (A)
Temperature	Operation 5° C - 40° C, Storage -10° C - 60° C
Humidity	Operation 20% - 80%, Storage 10% - 90%
Included Software	Epson Projector Management Software, EasyMP Multi PC Projection
Options	HDBaseT Transmitter, Soft carry case
Loudspeaker	16 W
Room Type / Application	Boardroom, Large Meeting Room / Auditorium
Positioning	Ceiling Mounted, Desktop
Colour	White
OTHER	
Warranty	60 months Carry in or 8.000 h, Lamp: 60 months or 1.000 h

EB-2265U

WHAT'S IN THE BOX

- Power cable
- Remote control incl. batteries
- Software (CD)
- VGA cable
- User Manual (CD-ROM)
- Warranty card
- Wireless LAN unit



OPTIONAL ACCESSORIES

- Air Filter ELPAF41
 V13H134A41
- Wireless LAN Adapter ELPAP10 V12H731P01
- Soft Carry Case ELPKS68 V12H001K68
- Ceiling Mount (White) ELPMB23 V12H003B23
- Ceiling Pipe (450mm) ELPFP13 V12H003P13
- Ceiling Pipe (700mm) ELPFP14 V12H003P14
- HDBaseT Transmitter ELPHD01 V12H547040
- ELPLP95
- V13H010L95
- Control and Connection Box ELPCB02 V12H614040

LOGISTICS INFORMATION

ѕки	V11H814040
EAN code	8715946628462
Country of Origin	China
Layer	4 Units

EB-2265U



1. - iProjection App available on Android and iOS devices.

